

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	569	tray with access\$6 with lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:07
S3	11	"4332464".pn. "5157448".pn. "5873276".pn. "6470155".pn. "20010022665".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 21:09
S4	15368	tray with access\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:13
S5	7303191	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:16
S6	19134	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4))) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:16
S7	316	job with (code id identificat\$4) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:20
S8	31	S6 and S7	USPAT	OR	OFF	2009/01/15 21:21
S9	0	S3 and S7	USPAT	OR	OFF	2009/01/15 21:21
S10	581	access\$4 with lock\$4 with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:56

S11	591	S2 or S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:57
S12	1048	(access or permi\$5) with paper with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:58
S13	4	S7 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 21:59
S14	316	(job with (code id identificat\$4)) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S15	4	S12 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S16	0	S15 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:04
S17	603	job with (code id identificat\$4) and ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:05
S18	12	S12 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:05

S19	175	S2.ti. or S2.clm. or S2.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S20	1	S17 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S21	175	S2 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:10
S22	11	S2.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:18
S23	12	S10.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:20
S24	2	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:20
S25	1365	user with (access\$4 allow \$4 permi\$5) with (tray paper sheet) with (size type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:25
S26	13	S17 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:25

S27	33	S12 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:35
S28	32	S27 not S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/15 22:35
S29	6	"5534974".pn. "7106641".pn. "6850337".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S30	604	job with (code id identificat\$4) and ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S31	2	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S32	1049	(access or permi\$5) with paper with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S33	316	(job with (code id identificat\$4)) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18
S34	4	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:18

S35	170444	match\$3 with (id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S36	0	S29 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S37	8437042	(id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:25
S38	3	S29 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:26
S39	0	"200500888679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54
S40	2	"200500888679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54
S41	2	S40 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:54
S42	1	S40 and (character adj4 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:55

S43	1	S40 and (alphanumeric adj4 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/20 23:55
S44	0	"55364974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 07:58
S45	2	"5534974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 07:58
S46	1	S45 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 07:58
S47	2	"6850337".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/21 08:02
S48	181900	martin.in. tjan.in. gaston. in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 10:55
S49	2148	tray with access\$6 with (block\$4 lock\$3 restrict \$4 control\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 10:57
S50	11	"4332464".pn. "5157448".pn. "5873276".pn. "6470155".pn. "20010022665".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 11:00

S51	15707	tray with access\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:00
S52	316235	access\$ WITH (pass \$code (pass code) id identificat\$4 (access\$3 adj4 (code id identificat \$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:01
S53	19436	(pass\$code (Pass code) id identificat\$4 (access \$3 adj4 (code id identificat \$4))) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:03
S54	325	joB with (code id identificat\$4) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:08
S55	1093	access\$4 with (protect\$3 block\$4 lock\$3) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:56
S56	6328	(access or permi\$5 allow \$4) with (sheet\$3 paper) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 11:57
S57	325	(job with (code id identificat\$4)) with ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:00
S58	628	job with (code id identificat\$4) and ((target tray) with (id identificat\$3 pass\$code (pass adj3 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:00

S59	176915	match\$3 with (id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:01
S60	1417	user with (access\$4 allow \$4 permi\$5) with (tray paper sheet) with (size type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:02
S61	8648064	(id identification number passcode (pass adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:04
S62	35	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:05
S63	0	S50 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:05
S64	1209	S52 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:05
S65	3	S54 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:06
S66	176	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:06

S67	3	S60 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:07
S68	0	"5534974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:08
S69	2	"5534974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:08
S70	0	S69 and (access\$3 with (id code identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:09
S71	0	S69 and (id code identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:12
S72	0	S68 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:15
S73	430	S49 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:16
S74	5	S60 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 12:16

S75	3	S74 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:16
S76	2	"20050088679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:17
S77	1	S76 and (control\$4 with panel with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 12:18
S78	0	"4332464".pn. "5157448".pn. "5873276".pn. "6470155".pn. "20010022665".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/10 22:35
S79	11	"4332464".pn. "5157448".pn. "5873276".pn. "6470155".pn. "20010022665".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 22:37
S80	7499434	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 22:40
S81	19436	(pass\$code (pass code) id identificat\$4 (access \$3 adj4 (code id identificat\$4))) with tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 22:40
S82	7499434	S80 or S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 22:40

S83	5	S79 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/10 22:40
-----	---	-------------	---	----	----	---------------------

5/ 11/ 2009 7:08:20 AM

C:\ Documents and Settings\ ggarcia\ My Documents\ EAST\ Workspaces\ 10692375.wsp